Army Regulation 40-656 NAVSUPINST 4355.10 MCO 10110.45

Medical Services

Veterinary Surveillance Inspection of Subsistence

Headquarters
Departments of the Army, the Navy, and the Marine Corps
Washington, DC
15 October 1986

UNCLASSIFIED

		AGE	Form Approved OMB No. 0704-0188
Public reporting burder for this collection of information is estibated to aver and reviewing this collection of information. Send comments regarding this Headquarters Services, Directorate for Information Operations and Reports law, no person shall be subject to any penalty for failing to comply with a cc	burden estimate or any other aspect of this colle (0704-0188), 1215 Jefferson Davis Highway, S	ection of information, including suggestions uite 1204, Arlington, VA 22202-4302. Resp	s for reducing this burder to Department of Defense, Washington pondents should be aware that notwithstanding any other provision of
1. REPORT DATE (DD-MM-YYYY) 15-10-1995	2. REPORT TYPE	3. D	OATES COVERED (FROM - TO) xx-1995 to xx-xx-1995
4. TITLE AND SUBTITLE		5a. CONT	TRACT NUMBER
Veterinary Surveillance Inspection of Subsiste	ence	5b. GRAN	NT NUMBER
Unclassified		5c. PROG	FRAM ELEMENT NUMBER
6. AUTHOR(S)		5d. PROJ	ECT NUMBER
		5e. TASK	NUMBER
		5f. WORI	K UNIT NUMBER
7. PERFORMING ORGANIZATION NAME Headquarters Department of the Army Washington, DCxxxxx	E AND ADDRESS	8. PERFO NUMBER	RMING ORGANIZATION REPORT
9. SPONSORING/MONITORING AGENCY	Y NAME AND ADDRESS	10 SPON	ISOR/MONITOR'S ACRONYM(S)
Headquarters			ISOR/MONITOR'S REPORT
Department of the Army		NUMBER	
Washington, DC			
12. DISTRIBUTION/AVAILABILITY STAT APUBLIC RELEASE ,	FEMENT		
13. SUPPLEMENTARY NOTES			
CATALOGERS: date of report and dates cover	ered should be 1986		
14. ABSTRACT			
See report.			
15. SUBJECT TERMS	MZ LIMITATIONI	MO MONAMI	F OF DECDONCIDI E DEDCON
16. SECURITY CLASSIFICATION OF:	17. LIMITATION OF ABSTRACT Public Release		E OF RESPONSIBLE PERSON w.usapa.army.mil/gils/epubs2.html,
a. REPORT b. ABSTRACT c. THIS F Unclassified Unclassified Unclassif		Internationa	EPHONE NUMBER al Area Code Telephone Number 07 Standard Form 298 (Rev. 8-98)

Prescribed by ANSI Std Z39.18

SUMMARY of CHANGE

AR 40-656/NAVSUPINST 4355.10/MCO 10110.45 Veterinary Surveillance Inspection of Subsistence

Not applicable.

0

0

Headquarters
Departments of the Army, the Navy, and the Marine Corps
Washington, DC
15 October 1986

*Army Regulation 40–656 NAVSUPINST 4355.10 MCO 10110.45

Effective 15 October 1986

Medical Services

Veterinary Surveillance Inspection of Subsistence

By Order of the Secretaries of the Army and the Navy:

JOHN A. WICKHAM, JR. General, United States Army Chief of Staff

content has been changed.

E. K. WALKER, JR. Rear Admiral, SC, USN Commander, Naval Supply Systems Command

Official:

R. L. DILWORTH Brigadier General, United States Army The Adjutant General J. J. WENT Lieutenant General, USMC

Deputy Chief of Staff for Installations and Logistics

History. This publication has been reorganized to make it compatible with the Army electronic publishing database. No

Summary. This regulation of the veterinary surveillance inspection of subsistence has been revised. It establishes uniforms methods for inspecting Army-, Navy-, and Marine Corps-owned subsistence. It defines the US Army veterinary Service's responsibility for surveillance-type inspections of all Service-owned subsistence received, stored, issued or sold, or shipped by military installations (including those items received from all depots and supply points). It implements AR-657/NAVSUPINST 4355.4/AFR 161-32/MCO P10110.31 as it pertains to veterinary service food hygiene, safety, and quality assurance inspections. This regulation has been revised to update references cited an includes specific instructions for inspections of the Meal, Ready-to-Eat rations and perishable subsistence. It also cites Department of the Army policies and procedures governing veterinary service surveillance inspections and Service-owned subsistence.

Applicability. This regulation applies to the Active and Reserve Component of the Army, Navy, and Marine Corps.

Proponent and exception authority. The proponent agency of this regulation is the Office of the Surgeon General, HQDA.

Impact on the New Manning System.

This regulation does not contain information that affects the New Manning System.

Army management control process.

This regulation is subject to the requirements of AR 11–2. It contains internal control provisions but does not contain checklists for conducting internal control reviews. These checklists are being developed and will be published at a later date

Supplementation. Supplementation of this regulation is prohibited without prior approval from HQDA (DASG-VCP), 5111 Leesburg Pike, Falls Church, VA 22041–3258.

Interim changes. Interim changes to this regulation are not official unless they are authenticated the The Adjutant General. Users will destroy interim changes on their expiration dates unless sooner superseded or rescinded.

Suggested Improvements. Users are invited to send comments and suggested improvements on DA Form 2028 (Recommended Changes to Publications and Blank Forms) or a related form directly to HQDA (DASG-VCP), 5111 Leesburg Pike, Falls Church, VA 22041–3258.

Distribution.

Army: To be distributed in accordance with DA Form 12–9A–R requirements for AR, Medical Services (Medical Activities

only). Active Army: B, ARNG and USAR: D.

Navy: SNDL NAVSUP Z (57) CONUS Enlisted General Messes X (58) Overseas Enlisted General Messes X (59) Afloat General Messes FB29; FKM8; FKM9; FKM14 (75 copies); FKM17

Copy to: SNDL A2A (Department of the Navy Staff Offices) (Chief of Information; Judge Advocate General only); A3 (Chief of Naval Operations); C84B (Morgantown, WV only); FH1; FH3; FH5; FH15; FH16; FH26;

FF1 (Naval District Commandants) (6 copies); FKM13 (Ships Parts Control Center) (Code 790); FKM30 (Navy Resale and Services Support Office) (10 copies); FT1 (Chief of Naval Education and Training); FT30 (Service School Command) San Diego Attn: Director, MS School (Code 3350)) (75 copies); FT39 (Technical Training Center) (Code 7300 (25 copies); FT51, (Fleet and Mine Warfare Training Center); FT555 (Supply Corps School (10 copies)

Office in Charge, Navy Food Management Team, Charleston, Naval Supply Center, Building 224 (Code 07). Charleston, SC 29408 (25 copies) Officer in Charge, Navy Food Management Team, Mayport, Naval Station, Mayport, FL 3228 (25 copies) Officer in Charge, Navy Food Management Team, Norfolk, Naval

^{*}This regulation supersedes AR 40-656, 30 December 1965.

Supply Center, Norfolk, VA 23512 (25 Dept., Box 500, Groton, CT 06349 (25 copies)

Officer in Charge, Navy Food Management Team, Pearl Harbor, Naval Supply Center, Box 300, Pearl Harbor, HI 96860 (25 copies)

Officer in Charge, Navy Food Management Team, San Diego, Naval Supply Center, San Diego, CA 92131 (25 copies)

Navy Food Management Team, Pearl Harbor, Yokosuka Detachment, U.S. Naval Supply Depot, Box 11, Attn: Code FM-105, Seattle, WA 98762 (25 copies)

Navy Food Management Team, Norfolk, New London, Groton Detachment, Naval Submarine Base, New London, Supply copies)

plus 7000163 (10)

7000024, 140 (2)

Copy to: 8145001

Navy Food Management Team, San Diego, Oakland Detachment, Naval Supply Center, Attn: (Code 105), Oakland, CA 94625 (25 copies)

NAVSUP (SUP 0821 (15 copies); 081B3 (7 copies); 09A; 00B, 0311 Z(61) Miscellaneous activities requiring NAVSUP directives (less FT55)

Stocked: CO, NAVPUBFORMCEN 5801 Tabor Avenue Philadelphia, PA 19120-5099

Marine Corps: MARCORPS CODE: IV less 7000024,

Contents (Listed by paragraph and page number)

Chapter 1

Introduction, page 1

Purpose • 1–1, page 1

References • 1–2, page 1

Explanation of abbreviations and terms • 1-3, page 1

Responsibilities • 1–4, page 1

Inspection policies • 1–5, page 1

Defect classification • 1–6, page 2

Storage life • 1–7, page 2

Methods of inspection • 1–8, page 2

Type of inspections • 1–9, page 2

Phases of inspection • 1-10, page 3

Selection of samples • 1–11, page 3

Laboratory analysis • 1–12, page 3

Disposition • 1–13, page 4

Reports • 1-14, page 4

Chapter 2

Inspection of Semiperishable Foods (Other Than Meal, Ready-to-Eat Rations), page 7

Deterioration of semiperishable foods • 2–1, page 7

Inspection level • 2-2, page 7

Formation of lot • 2–3, page 7

Types of inspections • 2–4, page 7

Rejection numbers • 2–5, page 8

Defective lots and sublots • 2-6, page 8

Chapter 3

Inspection of Perishable Foods, page 10

Deterioration of perishable foods • 3–1, page 10

Inspection level • 3-2, page 10

Formation of lots • 3-3, page 10

Types of inspections • 3-4, page 10

Appendixes

Contents—Continued

- **A.** References, page 14
- B. Defects of Subsistence, page 16
- **C.** Procedures for Inspecting Semiperishable Foods, page 17
- **D.** Examples of Disposition Recommendations, page 19
- **E.** Procedures for Inspecting Perishable Foods, page 20
- **F.** Procedures for Inspecting Meal, Ready-to-Eat Rations, page 21

Table List

- Table 2-1: Master table general inspection level S-3
 - (Single sampling plan for normal inspection.) (See notes 1, 2, and 3.), page 9
- Table 2-2: Master table general inspection level II
 - (Single sampling plan for normal inspection.) (See notes 1, 2, and 3.), page 9
- Table 2-3: Master table general inspection level S-1
- (Single sampling plan for normal inspection.) (See notes 1, 2, and 3.), page 10
- Table 3-1: Master table general inspection level S-3
- (Single sampling plan for normal inspection.) (See notes 1, 2, and 3.)
- (Surveillance inspection only.), page 11
- Table 3-2: Master table general inspection level S-4
 - (Single sampling plan for normal inspection.) (See notes 1 and 2.)
 - (Surveillance inspection only.), page 12
- Table 3-3: Master table general inspection level I
 - (Single sampling plan for normal inspection.) (See notes 1 and 2.)
 - (Surveillance inspection only.), page 12
- Table 3-4: Master table general inspection level II
 - (Single sampling plan for normal inspection.) (See notes 1 and 2.)
- (Surveillance inspection only.), page 13
- Table F-1: Table of examination, page 25
- Table F-1A: Inspection criteria for tables F-2 through F-5 (see note 1), page 25
- Table F-1B: General inspection level II, page 26
- Table F-2: Inspection of shipping container, page 26
- Table F-3: Inspection of unopened meal bag, page 26
- Table F-4: Inspection of meal bag components, page 27
- Table F-5: Inspection of accessory bag, page 27
- Table F-6: Open package destructive inspection (see note 1), page 28

Figure List

- Figure 1-1: Completed example of a report of surveillance inspection, page 5
- Figure 1-2: Completed example of DD Form 1232, page 6
- Figure F-1: Completed example of DD Form 1714, page 29
- Figure F-1: Completed example of DD Form 1714—Continued, page 30

Glossary

Reproducible Forms

Chapter 1 Introduction

1–1. Purpose

This regulation establishes uniform methods for inspection of Service-owned foods. It defines the US Army Veterinary Service's responsibility for surveillance-type inspection of all Service-owned food received, stored, issued or sold, or shipped by installations (including those items received from all depots and supply points). It implements AR 40–657/NAVSUPINST 4355.4/AFR 161–32/MCO P10110.31 as it pertains to veterinary food hygiene, safety, and quality assurance inspections. This regulation prescribes procedures to ensure maximum serviceability for all Service-owned foods in storage and at the time of issue or sale. It also prescribes methods to furnish statistical techniques for accomplishing cost-efficient inspections as well as providing data on deterioration variations under differing conditions.

1-2. References

Required and related publications and prescribed and referenced forms are listed in appendix A.

1-3. Explanation of abbreviations and terms

Abbreviations and special terms used in this regulation are explained in the glossary.

1-4. Responsibilities

- a. The Surgeon General (TSG), Department of the Army (DA). TSG, DA will-
- (1) Develop uniform, efficient procedures for inspection of all food procured for use by the Armed Forces.
- (2) Ensure that veterinary personnel use the procedures of this regulation to determine if foods are being stored and handled properly.
- (3) Assign veterinary personnel for food inspection support in response to surveillance requirements and request for commanders.
 - (4) Coordinate (1), (2), and (3) above with TSG, Department of the Navy or a designated representative.
 - b. Commanders of major Army commands (MACOMs). Commanders of MACOMs will-
- (1) Ensure command implementation of veterinary surveillance inspections of surveillance within each area of responsibility by the US Army Veterinary Service personnel.
 - (2) Ensure provisions of adequate inspection facilities at sites requiring veterinary inspections.
 - (3) Coordinate inspections with other commands and Service through their medical department personnel.
 - (4) Ensure that accountable or responsible officers ensure timely and proper rotation and inspection of subsistence.
 - (5) Assign veterinary inspection personnel to perform inspections as prescribed by this regulation.
 - c. MACOM staff veterinarians. These veterinarians will-
 - (1) Administer surveillance food inspection services within their commands through regulations and technical letters.
 - (2) Coordinate with other staff veterinarians and stall medical personnel of Navy/Marine commands as necessary.
 - d. Veterinary food inspection personnel. These personnel will-
- (1) Coordinate food inspections with other veterinary personnel to avoid duplication of effort or excessive expenditure of resources.
 - (2) Perform surveillance inspections as prescribed by procedures established in this regulation.
 - (3) Coordinate with appropriate laboratory personnel to ensure complete analysis.
 - (4) Make inspections and report results to accountable officers.
 - (5) Furnish accountable officers with written recommendations or dispositions of unfit subsistence.
 - e. Accountable officer. Accountable officers will-
- (1) Provide personnel and equipment necessary for assisting veterinary personnel in removing food samples from the receiving and/or storage area(s) and transporting the samples to the inspection station.
 - (2) Coordinate with the installation veterinarian all proposed changes that could-
 - (a) Have a bearing on health and sanitation.
 - (b) Require changes in budget or personnel requirements of veterinary personnel.
- (3) take immediate corrective action when advised of deficiencies relating to the condition of foods, keeping qualities, and/or special requirements in warehousing facilities.
 - (4) Ensure timely and proper rotation of subsistence.
 - (5) Request special inspections as a result of customer complaints.
- (6) Provide veterinary service personnel with a monthly listing of all subsistence requiring in-storage surveillance inspection. (This requirement does not apply to commissary officers.)

1-5. Inspection policies

The policies for inspection of subsistence are as follows:

- a. Veterinary service inspection of surveillance will be continuous.
- b. Items having the oldest date of packs (DOP), those that are highly susceptible to insect and rodent damage, and/or distressed products will be given priority.

1-6. Defect classification

Classifications of defects is as follows:

- a. Defective units are classified as critical, major, or minor. Each unit will be classified by its most serious defect (expressed as percent defective).
 - b. Defects are classified as follows:
- (1) Critical. A critical defect is a defect that judgment and experience indicates is likely to result in hazardous or unsafe conditions for individuals using, maintaining, or depending upon the product. A unit (can, jar, carton, and so forth) with one or more critical defects will be classified unserviceable. Also, a defect which adulterates the product (such as the presence of live or dead insects, rodent hair, feces, or other filth, exceeding established tolerances and/or enduring the product unacceptable aesthetically) will be classified as critical. In addition, any major defect that in the inspection's judgment would progress to critical severity before the next scheduled inspection will be classified as critical.
- (2) *Major*. A major defect is a defect, other than critical, that is likely to result in failure or to materially reduce the usability of the product for its intended purpose. It also includes any minor defect that in the inspection's judgment would progress to major severity before the next scheduled inspection.
- (3) *Minor*. A minor defect is a defect that is likely to reduce materially the usability of the unit of product for its intended purpose, or is a departure from established standards having little bearing on the effective use or operation of the unit.

1-7. Storage life

Shelf life data for military services stocked troop issue Federal Supply Classification (FSC) Group 89 surveillance items have been developed by the US Army Natick Research, Development, and Engineering Center (NRDEC), Natick, MA, and are published in Department of Defense (DoD) Regulation 4145.19–R–1. The data contained are based on the optimum food quality retention times rather than the maximum storage life and should be used as a guide only. Brand name resale items should be managed based on shelf life data provided by the manufacturer supplying the subsistence products and the condition of the items at time of inspection. Headquarters, Defense Personnel Support Center (DPSC), publishes master item identification lists (MILs) for semiperishable and perishable brand name resale subsistence which give shelf life data for brand name foods available for requisitioning from DPSC.

1-8. Methods of inspection

Inspection of subsistence is conducted according to the following:

- a. Sampling inspection (statistical). A sampling inspection estimates the condition of a lot based on examination and/or testing of a portion of the lot. Samples should be as representative of the lot as practical. Storage conditions should be considered when selecting samples.
 - b. 100 percent inspection. Every unit of the product is inspected during a 100 percent inspection.

1-9. Type of inspections

The types of inspections are as follows:

- a. Surveillance inspections. These inspections are made to determine if Government-owned foods are wholesome and suitable for further storage, shipments, issue, sale, or consumption.
 - (1) Any receipt except purchase (class 5). These inspections are made to—
 - (a) Detect any change or deterioration of the food which occurred during transport.
- (b) Give receiving officers an appraisal of the condition on the foods, keeping qualities, and special requirements in warehousing facilities.
 - (c) Detect faulty handling, transportation, or other correctable deficiencies to prevent similar losses in the future.
- (2) Prior to shipment inspection (class 6) and/or at issue or sale inspections (class 7). These inspections are performed to determine the suitability of the product for shipment, sale, or issue, based on the quality history data for each item and/or actual inspection.
 - (3) During storage inspections (class 9).
- (a) These inspections are performed on a planned recurring basis for conditions. Incorrect temperatures, faulty warehouse facilities, or other practices which may lead to deterioration will also be noted by the inspector.
- (b) The accountable officer will routinely provide the personnel and equipment necessary to transfer food samples from the storage area to the inspection station. Veterinary personnel will notify the accountable officer when samples are ready to be picked up for return to stock.
- b. Other inspections. These are inspections not routinely scheduled or performed at the post, camp, or station. Other inspections include the following:

- (1) Warranty inspections. Subsistence contracts, except for some perishable items, require that the contractor guarantee supplies after the procurement receipt date at the destination. The supplies furnished will be free from defects in material and workmanship and will conform to all contract requirements. The warranty inspection is usually initiated by the findings of excessive defects or deterioration during another inspection (such as class 5 or 9). The length of the warranty period varies depending on the type of subsistence item.
- (2) *Inspection of unit basic loads (UBLs)*. UBLs are individual operational ratios which are stored by units for use in readiness operations or deployment. Normally, these inspections are performed only at the request of the accountable officer. However, the servicing veterinary unit should provide extra effort to ensure that these rations are inspected. (See AR 30–7 and AR 710–2 for additional information.)
- (3) *Special inspections*. These inspections are requested by the accountable officer based on consumer complaints. Also, a special inspection is performed prior to the next scheduled inspection when a problem has been identified in a particular lot.
- (4) Isolated lots. Isolated lots are lots of unknown storage history, such as captured enemy rations, lots found in storage areas with no record of inspection, returned stocks to the troop issue subsistence activity (TISA) from dining facilities or other food service accountable officers, and so forth. These lots should be inspected for all appropriate defects in appendix B and any other defects that may be applicable.

See note¹ below.

1-10. Phases of inspection

The actual inspection will be conducted in the phases discussed in a and b below.

- a. Closed-package inspection (CPI). Two types of closed-package inspections are as follows:
- (1) Nondestructive closed-package inspection. These examinations of the product's packing and packaging material can be accomplished without destroying the inner packaging material. These examinations will be completed before the start of an open-package inspection. Following CPI, the sample unit can normally be returned to the lot from which drawn, unless it is subsequently used for the open-package phase of inspection. All sample units will be inspected for the appropriate defects in appendix B and any other defects that may be applicable. Destructive inspection during the closed-package inspection is allowed, based on inspection judgment.
- (2) Destructive inspection. This examination of the internal contents of a package showing external major or critical defects identifies the defects and/or extent of defects. Destructive inspection should be kept to a minimum and not be related to or confused with the open–package phase of inspection described below.
 - b. Open-package inspection (OPI). Open-package inspection will be accomplished according to the following:
- (1) This inspection may detect deterioration in the contents of normal–appearing packages. It will be performed, when required, after the CPI has been completed. OPI may destroy the inner packaging material, such as opening the can or cutting or tearing the flexible packaging material. Consequently, after such inspection, the product often cannot be returned to the lot since the product or packaging has been destroyed. Normally OPI will be performed at time of receipt, 6 months prior to reaching the inspection test date (ITD) or recommended storage life, and on products that have exceeded the ITD or recommended storage life. (See para 1–7.) Sample units for the OPI will be selected from those units used for CPI. Only those packages which did not show critical or major defects (normal–appearing) during the CPI will be used as OPI sample units.
- (2) Each sample unit will be examined for defects in appendix B and any other defects that may be applicable. See note² below.

1-11. Selection of samples

Samples will be selected according to tables 2–1 through 2–3 and 3–1 through 3–4, as applicable. Samples selected will be representative of the lot. A table of random numbers (refer to MIL HDBK 53) need not be used except as noted in paragraph 2–4c(1). Inspectors must determine the following before selecting a sample:

- a. The number of units packed in each case.
- b. When sublots are present, samples are to be proportional to the size of the sublots.

1-12. Laboratory analysis

Laboratory analysis will be performed according to the following:

a. When doubt exists concerning the condition of food items, samples will be submitted to the appropriate laboratory for analysis. Samples should not normally be submitted for evaluation of characteristics which can be determined adequately by the veterinary food inspector. An exception would be when a large lot or high dollar item exhibits and off-flavor, -odor, -color, -texture, or when necessary facilities and equipment are not available to the inspector. When the laboratory can furnish objective values and the inspector is limited to subjective evaluations,

¹ Military Standards (MIL-STD) 904 contains additional guidance on the inspection of infestable subsistence items.

² Critically defective units found during inspections will be removed by the inspector and disposed of according to local policy. all cases or other outer containers that have been opened for inspection or examination purposes will required resealed and stamped according to TB MED 263 before returning them to stock.

laboratory results should be used in making final disposition recommendations. Laboratory samples will consist of three units (cans, jars, packets, and so forth) of the abnormal product and three units of the normal product, if possible. If only normal or abnormal units are available, six samples should be submitted.

- b. Section A of DD form 1222 (Request for and Results of Tests) will be completed and forwarded with samples. The form will contain the following information:
- (1) A history of the product with information that will be helpful in the laboratory evaluation and the reason for submission.
 - (2) DOP and/or product codes.

1-13. Disposition

The veterinary inspection—in—charge will furnish the accountable officer a written disposition recommendation for those lots of product unfit for normal storage, shipment, issue, and/or sale. The recommendation will become part of the inspection reports required by paragraph 1–14 below. (See AR 60–657/NAVSUPINST 4355.4/AFR 161–32/MCO P10110.31 and appendix D for guidance and examples of disposition recommendations.) To comply with the applicable provisions of AR 600–50 and AR 30–18, veterinary personnel (commissioned officers, warrant officer, and noncommissioned officers) cannot serve as a disinterested officer or individual in matters involving subsistence.

1-14. Reports

Reports will be completed according to the following guidance:

- a. Closed–package and/or open–package inspection results. The results for each lot inspected will be recorded as required by the responsible major command. A copy of the report will be provided to the accountable officer. A completed sample of DA Form 5301–R (Request and Report of Surveillance Inspection–Class 9) is shown at figure 1–1 as part of the examples of semiperishable inspections discussed in paragraphs C–2 through C–4. For warranty inspections, DD Form 1714 (Product Verification Record) will be used as an inspection worksheet, in addition to other required reports. (See also para F–7K.) DD Form 1714 will be reproduced locally on 8 1/2– by 11–inch paper. A copy for reproduction is located at the back of this regulation. As a minimum for all reports, the following information will be shown:
 - (1) Lot number (if applicable).
 - (2) Location of lot.
 - (3) The estimated remaining shelf life.
- (4) Disposition recommendations. (See fig 1–2 for a completed sample of a DD Form 1232 (Quality Assurance Representative's Correspondence).)
 - b. Copies of all reports will be distributed as follows:
 - (1) The original will be forwarded to the accountable officer after receipt of all inspection results.
 - (2) One copy will be filed at the veterinary inspection office.
 - (3) The second copy will be forwarded to higher headquarters, when requested.
- (4) For warranty inspections, a third copy of DD Form 1714 will be prepared and forwarded to the original acquisition agency through technical channels. This copy should also provide information which might result in improvement of acquisition methods, specifications, and/or storage and handling procedures.
- c. DD Form 1608 (Unsatisfactory Material Report (Subsistence)). A DD Form 1608 will be prepared, when applicable, according to AR 30–16. Standard Form (SF) 364 (Report of Discrepancy (ROD)) will also be prepared according to DLAR 4140.55/AR 735–11–2/NAVMATINST 4355.73/AFR 400–54/MCO 4430.3, and other regulations or instructions, when applicable.
- d. Discrepancy in shipment report. The veterinary service inspector will notify the accountable officer immediately upon discovery of a discrepancy in the shipment. This will allow either the accountable officer or the transportation officer time to prepare an SF 361 (Discrepancy in Shipment Report) according the AR 55–387/NAVSUPINST 4610.33/AFR 756–18/MCO P4610.19/DLAR 4500.15, and other regulations or instructions, when applicable.

		•	or use of t	his torm, *	** AR 30-1	8; the pr	ODONANT AB	For use of this form, see AR 30-18; the proponent agency is DCSLOG.	.00		
TO:		LOCATI	LOCATION OF STOCKS	TOCKS		<u>u ></u>	FROM: Vet. Svc	FROM: Vet Svcs. Northeast	east	INSPECTOR	DATE
Ft. Wyler, TX		Bldg.	2891,	2891, Section A	Ą	В	ranch,	Branch, Fort Wyler,	ler, TX	SP4 Smith	13 Jun XX
PBODUCT	CONTRACT MIMBER	VACE	LOT SIZE	OT SIZE SAMPL	uj		DOP or	CONDITION	TION	Record add' 1 or reverse sufe	NEXT SCHEDULED
		CASES	2	3	+	十	_		- ACIDACI	2012 Bethan 110 1 Pop 0 100011	INSPECTION
Pineapple CND	1145 Lot 3110	3500	21000	70000	₹ 8	S	F1073	GOOD	GOOD	Normal Storage and issue	Sep 83
A Soup, RTS Chicken Noodle	DLA 13H-82-D 1107	290	13920	0969	97 75	2CS 10cms E	E107	POOR	Q005	See additional inspection performed	-
B Soup, RTS Chicken Noodle	DLA 13H-82-D 090	145	0969	3480			0600	GOOD	G005	Normal issue and storage	Sep 83
C Soup, RTS Chicken Noodle	DKA 13H-82-D	145	6960	3480				GOOD	COOD	Normal issue and storage	Sep
GRAND LOT		580	27840		8 7	4CS 20cms					
A Soup, RTS Chicken Noodle	DEA 13H-82-D-1107		13920	0969	20 315		E107	POOR	0000	Recommend product be issued prior to all other	Jul 83
										like-stocks. Food service personnel should	
										be instructed to remove leaking cans and dispose	
					<u> </u>					of in accordance with local policy.	
										(SEE DD 1232 dated 13 Jun XX)	
						-,					
			_				-				
DA FORM 5301-R, MAY 84	7										

Figure 1-1. Completed example of a report of surveillance inspection

TO:	12	. FROM: (Name, address, ZIP C	ode, and office telepho
TISO		number) SP4 James Smith	
Bldg. 2891		Vet Svcs	
Fort Wyler, TX 78250		Northeast Branch	
		Fort Wyler, TX 78250	227-2145
CONTRACT, P. O., OR O. I. NUMBER	4. ITEM		
	- '	Chicken Noodle (8 oz cn)	
DLA 13H-82-D1107 PRIME CONTRACTOR NAME, ADDRESS AND	NSN 8935-00	-480-4553 . Plant name, address and zip c	A.D.F.
·	2 ZIP COBE	. PERMI NAME, ADDRESS AND ZIP C	ODE
Knox Soup Company 1428 Noodle Avenue	i		
Humbood, TX 73124		SAME AS BLOCK 5	
namessa, in 19121		52 5	
SUBJECT: Class 9 Inspection of l. Lot number: El07	of Soup, RTS, Ch	icken Noodle	
2. Location of lot: Buildir	ng 2891, Section	A, Row 12, Site E.	
 major defectives (seven 19 minor defectives (model) Estimated remaining shelf Disposition recommendation health hazard if leaking carbon existing like-stocks. In leaking cans in accordance well Next inspection due: Jul 	erate dents) F-life: 6 months ons: Currently s as are not consumatruct food serveth TISA/local p	this lot does not present med. Recommend this lot vice personnel to remove	be issued prior
SIGNATURE OF QAR		S. DATE	
James Smith	•	13 Jun XX	

Figure 1-2. Completed example of DD Form 1232

Chapter 2

Inspection of Semiperishable Foods (Other Than Meal, Ready-to-Eat Rations)

2-1. Deterioration of semiperishable foods

Information on deterioration of semiperishable foods is as follows:

- a. Storage conditions, particularly high temperatures, can greatly accelerate deterioration of semiperishable foods. As a general rule, each rise of 18 degrees Fahrenheit (°F) (10 degrees Celsius (°C)) from specified storage temperatures doubles the rate of the chemical reaction.
- b. Defects frequently associated with semiperishables are listed in appendix B, section I. Standard defect codes are listed in Defense Logistics Agency Manual (DLAM) 4155.5/TB 740-10.

2-2. Inspection level

The initial inspection level for CPI will be S-3 and for OPI will be S-1. (See tables 2-1 and 2-3 respectively.) If determined necessary, an increased rate of sampling may be used as prescribed by table 2-2 for CPI. Level S-2, in accord with MIL-STD 105, will be used for an increased rate of sampling for OPI. Procedures for inspecting semiperishable foods are in appendix C.

2-3. Formation of lot

The formation of lots from which sample units may be selected and inspected will be accomplished as follows:

- a. Contractors lot. This lot consists of units of a product that are identical as to-
- (1) Stock number.
- (2) Package size.
- (3) Contractor or ration assembly point.
- (4) Contract number.
- (5) Date of pack (year of pack is the date of pack for operational ration items).
- (6) Quality and storage history.
- b. Grand lot. The grand lot consists for one or more lots of like quality grouped together in other to decrease the cost of surveillance inspections by reducing the number of samples. Grand lotting is authorized, but the identify of sublots must be maintained and samples must be drawn from each sublot in proportion to its size. When defects are concentrated in a particular sublot, the sublot should be reinspected separately as a contractor's lot. Grand lotting will be limited to inspection procedures are paper transactions which require no rewarehousing or reworking of material prior to the inspection and to units identical as to—
 - (1) Stock number.
 - (2) Package size.
 - (3) Date of pack.
 - (a) Month and year is the date of the pack for items with a recommended shelf life less than or equal to 12 months.
 - (b) Year of pack is the date of the pack for items with a recommended shelf life greater than 12 months.
 - (4) Quality and storage history.
- c. Isolated lot. Captured enemy rations and other lots of unknown storage and inspection history must be handled on the individual basis. If the lot is composed of sublots, the sublots will be inspected separately.

2-4. Types of inspections

The types of inspections are as follows:

- a. Surveillance inspections. Surveillance inspections may be one of the following:
- (1) Any receipt except purchase inspection (class 5). The level of inspection will be S-3 according to table 2-1.
- (2) Prior to shipment inspection (class 6) and/or at issue or sale inspections (class 7). A detailed inspection need not be conducted if scheduled inspections have been performed. However, the storage facility commander is not relieved from the responsibility of shipping, selling, or issuing suitable stocks. When a detailed inspection is necessary, the level of inspection will be S-3 according to table 2-1.
 - (3) During storage inspections (class 9). The inspection level will be S-3 in accordance with table 2-1.
- (a) Each lot of semiperishable subsistence will be inspected at least every 3 months. More frequent inspections are needed if conditions at the storage location are below standard, if requested by the accountable officer, or if the inspector has some other reason for increasing the rate of inspection.
- (b) Accountable officers (except commissary officers) will provide veterinary service inspection personnel with a monthly listing of all foods requiring inspection. (See AR 30–18, chap 2 and appendix J and other regulations or instructions as applicable.) As a minimum, the listing of foods will include—

- 1. Name and address of the storage facility.
- 2. Product nomenclature.
- 3. Contract number.
- 4. Date of receipt.
- 5. Date of pack.
- 6. Warehouse lot number or location.
- 7. Number of cases in the lot.
- b. Other inspections. Other inspections include the following:
- (1) Warranty inspections. Compliance or noncompliance with the warranty clause is determined by means of warranty inspections conducted by the quality assurance representative (QAR) at the destination. Any inspection conducted within the warranty period is considered a warranty inspection. If, however, during the warranty period the results of any inspection show excessive deterioration, and/or the stocks are determined to be unserviceable by the QAR, then an inspection will be performed immediately, using the end item inspection critical (for only those defects found) cited in the contract. This inspection will constitute the official warranty inspection and all nonconformances found will be immediately reported.
 - (2) Inspection of UBLs. The level of inspection will be as prescribed in paragraph 2-2.
 - (3) Special inspections. The level of inspection will be as prescribed in paragraph 2-2.
- (4) *Isolated lots*. The levels of inspection will be general inspection level II as prescribed in table 2–2. General inspection level III, MIL–STD 105, or 100 percent inspection should be used if even greater discrimination is determined necessary by the inspector.

2-5. Rejection numbers

The rejection number constitutes a warning signal. When defects found do not equal or exceed the rejection number, the inspection is complete. The following guidance will apply:

- a. Supplies which meet or exceed the rejection number for critical defects according to table 2–1 for CPI will be inspected further by selecting additional sample units and cases necessary to equal the sample sizes specified in table 2–2 or 100 percent depending on the lot size. Supplies which meet or exceed the rejection number for major and/or minor defects may be further inspected using table 2–2 as described above, if deemed necessary by the inspector.
- b. Supplies which meet or exceed the rejection number for critical defects according to table 2–3 for OPI may be further inspected by selecting additional sample units as prescribed by inspection level S–2, MIL–STD 105.
- c. The samples for further inspection will be selected as randomly as possible considering available resources and conditions. When further inspection is performed, the combination inspection results will be used in determining disposition recommendations.

2-6. Defective lots and sublots

If defective lots and sublots are found, the following guidance will apply:

- a. If the defects equal or exceed the rejection numbers, an appropriate recommendation will be made to the accountable officer, as prescribed by this regulation and AR 60–657/NAVSUPINST 4355.4/AFR 161–32/MCO P10110.31. (See app D for examples of a disposition recommendation.)
- b. If defects are concentrated in one or two particular sublots, even though the defects do not equal or exceed the rejection numbers for the lot as a whole, the sublots in question may be individually inspected as contractor lots.

Table 2-1
Master table general inspection level S-3
(Single sampling plan for normal inspection.) (See notes 1, 2, and 3.)

	Unit sample			REJ (see			select when cases eces of the following:
Unit lot size	size (SS)	SQL	ACC	note 4)	6	12	18 and up
		1.5	0	1			
Under 151	5	2.5	0	1	2	2	2
		4.0	0	1			
		1.5	0	1			
151-500	8	2.5	0	1	3	3	3
		4.0	1	2			
		1.5	0	1			
501-3200	13	2.5	1	2	3	3	3
		4.0	1	2			
		1.5	0	1			
3201-35000	20	2.5	1	2	5	3	3
		4.0	2	3			
		1.5	0	1			
35001-500000	32	2.5	2	3	7	5	4
		4.0	3	4			
		1.5	0	1			
500001 and over	50	2.5	3	4	10	7	5
		4.0	5	6			

Notes:

Table 2–2
Master table general inspection level II
(Single sampling plan for normal inspection.) (See notes 1, 2, and 3.)

				REJ (see	M	inimum nur		ses to selectes of			acked with	1
Unit lot size	Unit (SS)	SQL	ACC	note 4)	6	12	18	24	36	48	72	96
		0.4	0	1								
Under 500	32	2.5	2	3	7	4	4	4	4	4	4	4
		4.0	3	5								
		0.4	1	2								
501-3200	125	2.5	7	8	25	20	20	15	15	10	10	10
		4.0	10	11								
		0.4	2	3								
3201-10000	200	2.5	10	11	40	30	30	20	15	15	10	10
		4.0	14	15								
		0.4	3	4								
10001 and over	315	2.5	14	15	60	50	40	30	20	20	15	15
		4.0	21	22								

¹ When a critical defect is found that could represent a potential health hazard in the entire lot, the lot will be placed on medical hold and a Veterinary Corps officer (VCO) will be consulted.

² If a sample size (SS) equals or exceeds the lot size, do a 100 percent inspection.

³ Defect classification. The following SQLs and corresponding accept (ACC)/reject (REJ) numbers indicate critical, major, and minor defects respectively: Critical—SQL 1.5; major—SQL 2.5; and minor—SQL 4.0.

⁴ When defects found do not equal or exceed the REJ number, the inspection is complete. (See para 2-5.)

¹ When a critical defect is found that could represent a potential health hazard in the entire lot, the lot will be placed on medical hold and a VCO will be consulted.

² If a sample size equals or exceeds the lot size, do a 100 percent inspection.

³ Defect classification. The following SQLs and corresponding ACC/REJ numbers indicate critical, major, and minor defects respectively: Critical—SQL 0.4; major—SQL 2.5; and minor—SQL 4.0.

⁴ When defects found do not equal or exceed the REJ number, the inspection is complete. (See para 2–5.)

Table 2–3
Master table general inspection level S–1
(Single sampling plan for normal inspection.) (See notes 1, 2, and 3.)

	Unit SS (s	see note 3.)				Minimum number of
Unit lot size	First sample	Combined sample	SQL	ACC	REJ (see note 4.)	cases to elect are as follows:
			1.5	0	1	
Under 151	2	4	2.5	0	1	2
			4.0	0	1	
			1.5	0	1	
151–500	2	4	2.5	0	1	2
			4.0	0	1	
			1.5	0	1	
501-8500	3	7	2.5	0	1	2
			4.0	0	1	
			1.5	0	1	
8501 and over	3	11	2.5	0	1	3
			4.0	1	2	

Notes:

Chapter 3 Inspection of Perishable Foods

3-1. Deterioration of perishable foods

Information on deterioration of perishable foods is as follows (step-by-step inspection procedures are in app E):

- a. Storage conditions. Chilled and frozen subsistence continues to deteriorate during storage. The rate of deterioration is directly dependent upon storage conditions, such as temperature, humidity, sanitation, and enzymatic and microbiological action. (See DoD 4145.19–R–1 for more detailed inspection and guidance on storage conditions.)
 - b. Defects. Defects frequently associated with perishables are listed in appendix B, section II.

3-2. Inspection level

Initial level for CPI will be S-3 according to table 3-1. If a more detailed inspection is necessary, the sample size may be increased using tables 3-2, 3-3, and/or 3-4. The use of SQLs, ACC or REJ numbers, and critical, major, and minor defects are not applicable to surveillance inspections of perishable subsistence. However, acceptable quality levels (AQLs) are necessary for warranty inspections. The sample unit for OPI will be individual packages, pieces, boxes, bags, and so forth. Initially, the sample size will be as follows:

- a. For lots containing less than 8500 units, one unit will be opened.
- b. For lots containing 8500 units or more, no less than two units will be opened.
- c. If a more detailed inspection is necessary, the sample size may be increased using inspection level D-2, MIL-STD 105.

3-3. Formation of lots

The lot size is normally expressed as the number of shipping cases in the lot. Total units (packages/pieces) will be used only when determining open-package sample size. The sample unit for CPI is a shipping case of the product. The sample unit for OPI is a packages or piece. Samples may be selected and inspected from a contractor lot or grand lot. See paragraph 2-3 for lot information. (Date of pack for perishable subsistence is month and year.)

3-4. Types of inspections

The types of inspections are as follows:

- a. Surveillance inspections. Surveillance inspections may be one of the following.
- (1) Any receipt except purchase inspection (class 5). The level of inspection will be S-3, according to table 3-1.
- (2) Prior to shipment inspection (class 6) and/or at issue or sale inspection (class 7). A detailed inspection need not be conducted in scheduled inspections have been performed. However, the accountable officer is not relieved from the

¹ When a critical defect is found that could represent a potential health hazard, the lot will be placed on medical hold and a VCO will be consulted.

² Defect classification. The following SQLs and corresponding ACC/REJ numbers indicate critical, major, and minor defects respectively: Critical—SQL 1.5; major—SQL 2.5; and minor—SQL 4.0.

³ If serviceability of the lot cannot be established by the first sample size, then select additional samples to complete the combined sample size. Additional sampling, in excess of the combined sample size, may be performed at the discretion of the inspector. (See para 2–2.)

⁴ When defects found do not equal or exceed the REJ number, the inspection is complete. (See para 2-5.)

responsibility of shipping, selling, or issuing suitable stocks. Inspectors, as a minimum, should conduct a cursory examination of the lot prior to shipment, issue, or sale. Then a more detailed inspection is necessary, the level of inspection will be S-3 as prescribed in table 3-1.

- (3) During storage inspections (class 9). The inspection level will be S-3 as designated in table 3-1.
- (a) Each lot of perishable food will be inspected at least every 30 days. The minimum level of inspection will be S-3 according to table 3-1. Highly perishable foods (shelf life less than 30 days) in the commissary will be monitored daily.
- (b) Fresh fruits and vegetables (FF&V) subject to rapid deterioration will be given a cursory inspection daily to determine condition and remaining storage life. If 5 percent or more deterioration is noted on the cursory inspection, then additional inspection will be performed using inspection level S-3 according to table 3-1 to determine the extent of the deterioration. For FF&V, the entire contents of each sample case will be inspected Results of the inspection will be reported to the accountable officer for appropriate action to preclude further loss to the Government.
- (c) Accountable officers (except commissary officers) will provide veterinary service inspection personnel with a monthly listing of foods requiring inspection. (See AR 30–18, chap 9 and app J, and other regulations/instructions as applicable.) As a minimum, the listing will include—
 - (1) Name and address of the storage facility.
 - (2) Product nomenclature.
 - (3) Contract number.
 - (4) Date of receipt.
 - (5) Date of pack.
 - (6) Warehouse number and location.
 - (7) Number of cases in the lot.
 - b. Other inspections. Other inspections include the following:
- (1) Warranty inspections. Compliance or noncompliance with the warranty clause is determined by means of warranty inspections conducted by the QAR at destination. Any inspection conducted within the warranty period is considered a warranty inspection. If, however, during the warranty period the results of any inspection show excessive deterioration, and/or the stocks are determined to be unserviceable by the QAR, then an inspection will be performed immediately using the end item inspection critical (for only those defects found) cited in the contract. This inspection will constitute the official warranty inspection and all nonconformance found will be immediately reported to the procurement agency.
 - (2) Special instructions. The level of inspection will be as prescribed in paragraph 3-2 above.
- (3) Isolated lots. The level of inspection will be general inspection level II, as prescribed in table 3–4 for closed–package inspection and paragraph 3–2 for open–package inspection. General inspection level III, MIL–STD 105, or 100 percent inspection should be used if even greater discrimination is warranted on CPI. If even greater discrimination is warranted on OPI, inspection level S–2 should be used. Procedures for inspecting Meal, Ready–to–Eat (MRE) rations are in appendix F.

Table 3–1
Master table general inspection level S–3
(Single sampling plan for normal inspection.) (See notes 1, 2, and 3.)
(Surveillance inspection only.)

Lot size	Minimum number of cas	ses to select when cases a piece of:	re packed with packages/	Minimum number of packages/pieces for nondestructive inspection
Number of cases	6 or less	7 to 12	13 and up	for nondestructive inspection
Under 151	2	2	2	Inspect a minimum of 3 pack-
151–500	3	3	3	 ages/pieces from each case se- lected percent if less than (LT) 3
501–3200	3	3	3	(100 per case).
3201–3500	3	3	5	_
3501–500000	4	5	7	_
500001 and over	5	7	10	_

¹ If a sample size equals or exceeds the lot size, do a 100 percent inspection.

² When a critical defect is found that could represent a potential health hazard, the lot will be placed on medical hold and a VCO will be consulted.

Table 3–2
Master table general inspection level S–4
(Single sampling plan for normal inspection.) (See notes 1 and 2.)
(Surveillance inspection only.)

Lots size	Minimum number of	cases to select when	cases are packed wit	h packages/pieces of:	Minimum number of packages/pieces for nondestructive inspection
Number of cases	6 or less	7 to 12	13 to 24	25 and up	,
Under 151	2	2	2	2	Inspect a minimum of 4 pack-
151–500	3	3	3	2	ages/pieces from each case selected (100 percent if LT 4 per
501–1200	3	3	3	5	case).
1201–10000	4	4	5	7	•
10001–35000	5	5	7	10	•
35001 and over	6	8	9	15	•

Notes

Table 3–3
Master table general inspection level I
(Single sampling plan for normal inspection.) (See notes 1 and 2.)
(Surveillance inspection only.)

	Minimum nu	umber of cas	ses to select	when cases	are packed	with package	es/pieces of	:
	6	7	13	19	25	37	49	Minimum number of
Lots size	or	to	to	to	to	to	and	packages/pieces for
Number of cases	less	12	18	24	36	48	up	nondestructive inspection
Under 281	2	2	2	2	2	2	3	Inspect a minimum of 3 pack-
281–500	3	3	3	3	3	3	5	ages/pieces from each case se- lected (100 percent if LT 6 per
501–1200	4	4	4	4	4	5	7	case).
1201–3200	5	5	5	5	5	7	10	
3201–10000	6	6	6	8	8	9	15	
10001–35000	10	10	15	15	20	20	25	_
35000 and over	10	15	15	20	30	30	40	_

 $^{^{\}rm 1}$ If a sample size equals or exceeds the lot size, do a 100 percent inspection.

² When a critical defect is found that could represent a potential health hazard, the lot will be placed on medical hold and a VCO will be consulted.

 $^{^{\}rm 1}$ If a sample size equals or exceeds the lot size, do a 100 percent inspection.

² When a critical defect is found that could represent a potential health hazard, the lot will be placed on medical hold and a VCO will be consulted.

Table 3–4
Master table general inspection level II
(Single sampling plan for normal inspection.) (See notes 1 and 2.)
(Surveillance inspection only.)

	Minim	um number	of cases to	select when	cases are pa	acked with p	ackages/pied	ces of:	
	6	7	13	19	25	37	49	73	Minimum number of
Lots size	or	to	to	to	to	to	to	and	packages/pieces for
Number of cases	less	12	18	24	36	48	72	up	nondestructive inspection
Under 281	4	4	4	4	4	4	5	7	Inspect a minimum of 8
281–500	5	5	5	5	5	5	7	10	packages/pieces fromeach case selected (100)
501–1200	6	6	6	6	8	8	9	15	percent if LT 8 per case).
1201–3200	10	10	10	15	15	20	20	25	
3201–10000	10	10	15	15	20	30	30	40	
10001–35000	15	20	20	25	30	40	50	60	
35001 and over	15	25	25	30	35	45	60	70	_

 $^{^{\}rm 1}$ If a sample size equals or exceeds the lot size, do a 100 percent inspection.

² When a critical defect is found that could represent a potential health hazard, the lot will be placed on medical hold and a VCO will be consulted.

Appendix A References

Section I

Required Publications

MIL_STDs and MIL_HDBKs may be obtained from the Naval Publications and Forms Center, Code 3015, 5801 Tabor Avenue, Philadelphia, PARTICIPATION 19120–5099, using DD Form 1425 (Specifications and Standards Requisition). All other publications and forms listed below, except DA Form 5301–R, are available through normal publications channels.

AR 30-7

Operational Rations. (Cited in par 1-9a(2).)

AR 30-16

Food Service Data Feedback Program. (Cited in para 1–14c.)

AR 30–18

Army Troop Issue Subsistence Activity Operating Procedures. (Cited in paras 1–13, 2–4a(3)(b), 3–4a(3)(c), and D–2b.)

AR 40-657

/NAVSUPINST 4355.4/AFR 161–32/MCO P10110.31 Veterinary/Medical Food Inspection. (Cited in the summary and paras 1–1, 1–13, 2–6*a*, C–1*g*(2), D–2, and E–1*g*.)

AR 55-38/NAVSUPINST 4610.33/AFR 75-18/MCO P4610.19/DLAR 4500.15

Reporting of Transportation Discrepancies in Shipments. (Cited in para 1-14d.)

AR 710-2

Supply Policy Below the Wholesale Level. (Cited in para 1-9a(2).)

DOD 4145.19-R-1

Storage and Warehousing Facilities and Services. (Cited in paras 1-7, 3-1a, C-2, C-3, C-4f, E-2, and F-1b.)

MIL-HDBK 53

Guide for Sampling Inspection. (Cited in para 1-11.)

TB MED 263

Veterinary Service, Identification of Inspected Foods. (Cited in the note after para 1-10b(2).)

Section II

Related Publications

A related publication is merely a source of additional inspection. The user does not have to read it to understand this regulation.

AR 600-50

Standards of Conduct for Department of Army Personnel

DLAR 4140.55/AR 735-11-2/NAVMATINST 4355.73/AFR 400-54/MCO 4430.3

Reporting of Item and Packaging Discrepancies

DLAM 4155.5/TB 740-10

Quality Control Depot Serviceability Standards

MIL-STD 105

Sampling Procedures and Tables for Inspection by Attributes

MIL-STD 904

Guidelines for Detection, Evaluation, and Prevention of Pest Infestation of Subsistence

Section III

Prescribed Forms

DD Form 1714

Product Verification Record. (Prescribed in para 1-14 and app F.)

Section IV

Referenced Forms

DA Form 5301-R

Request for Report of Surveillance Inspection-Class 9. (AR 30-18.)

DD Form 1222

Request for and Results of Tests

DD Form 1232

Quality Assurance Representative's Correspondence

DD Form 1608

Unsatisfactory Material Report (Subsistence)

SF 361

Discrepancies in Shipment Report

SF 364

Report of Discrepancy (ROD)

Appendix B Defects of Subsistence

Section I

Semiperishable Foods

B-1. Defects most frequently classified as critical

The defects most frequently classified as critical are shown below.

- a. Swellers. Swellers due to any reason.
- b. Oxidation/rancidity. Chemical changes.
- c. Mildew/mold/dry rot. Any discoloration, growth, or decay caused by fungi.
- d. Leakers. Leakers due to any reason.
- e. Contamination. Presence of matter which is foreign to or deleterious to the product or substance in which it is contained.
 - f. Insect or rodent infestation.
 - g. Vacuum loss. Complete loss of vacuum in those products requiring a vacuum.

B-2. Other frequently identified defects (associated with loss of packaging and packing protection)

Other frequently identified defects that are associated with loss of packing and packaging protection are shown below.

- a. Separation/delamination.
- b. Closure failure.
- c. Water damage.
- d. Soiled (spots, stains, dirt).
- e. Physical damage.
- f. Reinforcement failure.
- g. Brittleness (flexible packaging).
- h. Product intermingling (flexible packing).
- i. Corrosion/rust.
- j. Cuts/abrasions/scratches.
- k. Peeling/flaking/chipping.
- l. Etching/grazing/checking.
- m. Detinning, flaking of enamel lining.
- n. Dent.
- o. Breakage.

Section II

Perishable Foods

B-3. Defects associated with packing

Defects associated with packing are shown below.

- a. Mildew, mold.
- b. Separation, delamination.
- c. Closure failure.
- d. Water damage.
- e. Soiled (spots, stains, dust).
- f. Physical damage.

B-4. Defects associated with packaging

Defects associated with packaging are shown below.

- a. Brittleness.
- b. Corrosion, rust.
- c. Leakers, pinholes, improper closures.
- d. Detinning, flaking, or enamel lining.
- e. Physical damage.
- f. Vacuum loss.

B-5. Defects associated with the product

Defects associated with the product are shown below.

- a. Brittleness.
- b. Crumbling, cracking.
- c. Hardening.
- d. Caking.
- e. Loss of crispness.
- f. Swellers.
- g. Oxidation/rancidity.
- h. Mildew, mold.
- i. Odor change.
- j. Decay or rot.
- k. Flavor change.
- l. Physical change.
- m. Freezer burn and dehydration.
- n. Separation.
- o. Contamination.
- p. Discoloration.
- q. Freeze damage (chilled items).
- r. Defrosting.
- s. Insect or rodent infestation.
- t. Friability.
- u. Coagulation.
- v. Product intermingling-grease or moisture transfer.
- w. Liquefaction/syneresis.
- x. Evaporation/leakage.
- v. Participation/precipitation/sedimentation/crystallization.
- z. Turbidity.
- aa. Foreign objects.
- bb. Fusion.

Appendix C

Procedures for Inspecting Semiperishable Foods

C-1. Step-by-step procedures for inspecting semiperishable foods

- a. Step 1. Determine lot size. The lot size is determined by the number of units of the product in a lot (cans, jars, bottles, cartons, envelopes). Multiply units per case by the number of cases.
- b. Step 2. Determine inspection level. paragraph 2–2 gives inspection level S–3, according to table 2–1 for CPI. Inspection level S–1 is prescribed by table 2–3 for OPI
 - c. Step 3. Select sample cases from lot.
- (1) Determine how many sample cases to select (based on units per case) as prescribed by table 2–1 and if applicable, table 2–2.
- (2) Sample cases should be as representative of the lot as practical. Storage conditions should be considered when selecting samples.
 - (3) Select sample cases from sublots as proportionately as practical.
 - d. Step 4. Select sample units.
 - (1) Determine the number of sample units to select according to table 2-1.
- (2) Select the sample units proportionately from the sample cases. If different sublots are present, ensure each is represented proportionately.
 - e. Step 5. Perform closed-package inspection.
- (1) Inspect each sample unit for defects in appendix B and any other defects that may be applicable. Classify each defects as critical, major, or minor as prescribed by paragraph 1–6.
- (2) The inspector may perform destructive inspection on units with external major or critical defects. (Refer to para 1–10b.)
 - (3) Submit laboratory samples as deemed necessary.
 - (4) Record results according to paragraph 1-14.
 - f. Step 6. Perform open-package inspection.
 - (1) This phase is normally performed according to paragraph 1–10.

- (2) Select the correct number of open-package sample units from units drawn in step 4, which showed no critical or major defects during the closed-package phase. If a variety of products prevents selecting a unit of each food item, select those items which normally deteriorate more rapidly.
- (3) Open each sample unit and inspect for the defects in appendix B and any other defects that may be applicable. Classify each defect as critical, major, or minor according to paragraph 1–6. Record results according to paragraph 1–5. If the defects found do not equal or exceed the rejection numbers given in table 2–1 and/or table 2–3, the inspection is completed.
- (4) Lots exceeding the SQL 1.5 critical defects (per table 2–1 for CPI) will be further inspected using general inspections level II (table 2–2) or 100 percent, depending on the lot size. The results of this additional inspection will be recorded as prescribed by paragraph 1–14 and sed in determining disposition of the lot.
 - (5) Submit laboratory samples as deemed necessary.
 - g. Step 7. Determine disposition recommendation.
- (1) If defects are concentrated in particular sublots, the inspector should consider treating each sublot as a contractor's lot and performing additional in.
- (2) When the defects found equal or exceed the rejection number given for the appropriate inspection and serviceability quality level (tables 2–1 through 2–3), determine appropriate disposition per appendix D of this regulation and AR 60–657/NAVSUPINST 4355.4/AFR 161–32/MCO P10110.31.
 - h. Step 8. Prepare inspection reports. Inspection reports will be prepared according to paragraph 1-14.

C-2. Step-by-Step example procedure for inspecting canned pineapple

An inspector is directed to perform a class 9 inspection on a lot consisting of 3500 cases of pineapple, regular pack, packed 6 cans per case. The lot has not exceeded the storage life recommended in DoD 4145.19–R–1. Previous inspection findings indicate it to be a good product.

- a. Step 1. Determine lot size. Lot size equals 21,00 cans (3500 cases by 6 units per case).
- b. Step 2. Determine inspection level. Paragraph 2-2 lists an inspection level S-3 for CPI.
- c. Step 3. Select sample cases from lot. According to table 2–1, five cases were selected from the lot (product packed six units per case) as representative as practical.
- d. Step 4. Select sample units from the sample cases. According to table 2–1, the unit sample size was 20 cans, so the inspector selected 4 units from each case.
- e. Step 5. Perform CPI. Each sample unit was examined for critical, major, and/or minor defects. The examination revealed no critical, one major (a severe dent), and two minor defectives. Destructive inspection of the defective unit with the major defect was not performed.
 - f. Step 6. Perform OPI. OPI was not performed on this lot for the following reasons:
 - (1) It did not exceed the recommended storage life.
 - (2) It is not an isolated lot.
 - (3) Storage conditions have not been adverse.
 - (4) The inspector had no reason to suspect internal deterioration.
 - g. Step 7. Determine disposition recommendation.
 - (1) The inspector found no critical defectives, one major defective, and two minor defectives.
- (2) Using the SQLs and corresponding ACC/REJ numbers (warning signals) from table 2–1, it was determined that none of the rejection numbers had been equaled or exceeded.
 - (3) Based on the above information, the lot was fit for normal storage and issue.
- h. Step 8. Prepare inspection reports. The lot does not exceed serviceability requirements; therefore, the only written report was the one required by the MACOM according to paragraph 1–15. (Refer to fig 1–1 for an example.)

C-3. Step-by-Step example procedure for inspection of canned soup

The veterinary food inspection specialist at a TISA is instructed to conduct a class 9 inspection consisting of 580 cases of soup, chicken noodle, ready-to-serve, 8-ounce can, packed 48 cans to the case. This was a grand lot composed of three sublots from different manufacturers. All sublots had exceeded the recommended storage life specified in DoD 4145.19–R-1.

- a. Step 1. Determine lot size. Lot size is 27,840 cans (580 cans by 48 units per case). Examination showed 290 cases in sublot A and 145 each in sublot B and C, so the inspector determined the sublots were represented in a 2:1:1 ration.
 - b. Step 2. Determine inspection level. Par 2-2 gives the inspection level S-3 for CPI.
- c. Step 3. Select sample cases from the lot. The inspector used table 2–1 and determined that a MINIMUM of 3 sample cases must be selected from the lot (product packed 48 cans per case with a lot size of 27,840 units). Since the sublots are represented in a 2:1:1 ration, the inspector selected tow cases from sublot A and one each from sublots B and C.

- d. Step 4. Select samples from the sample cases. Table 2–1 specified a sample size of 20 units. Therefore, the inspector selected the sample units based on the 2:1:1 ration as follows:
 - (1) Sublot A-10 Cans, 5 from each case.
 - (2) Sublot B-5 cans.
 - (3) Sublot C-5 cans.
- e. Step 5. Perform CPI. Each sample unit was examined for critical, major, and minor defects. The examination revealed two critical (leakers), one major (severe dent), and two minor (moderate dent) defectives. The defectives were all from sublot A samples. Destructive inspection on the critical and major defectives was not performed.
 - f. Step 6. Perform OPI.
- (1) Based on closed packages inspection results (leakers) and because the product exceeds the recommended storage life specified in DoD 4145.19–R-1, the inspector performed OPI.
- (2) Using table 2–3, the inspector determined that a minimum of three cans of the product must be opened. To maintain proportional sampling (2:1:1), four cans were selected for OPI (such as two cans from sublot A, and one each from sublots B and C). The sample units were taken from the original closed–package sample units which did not show critical or major defects during step 5. The four cans were opened and the product was normal.
- g. Step 7. Determine disposition recommendation. The inspector noted that the number of critical defectives (leakers) exceeded the rejection number (table 2–1). Under paragraphs 2–5 and 2–6, the inspector performed an additional inspection on sublot A according to table 2–2.

C-4. Step-by-step additional inspection

- a. Step 1. Determine the lot size. The lot size is 13,290 cans (290 cans by 48 units per case).
- b. Step 2. Determine the inspection level. General level II was used by table 2-2 and paragraph 2-.
- c. Step 3. Select additional sample cases from the lot. According to table 2–2, the inspector determined a minimum total of 20 cases of the product must be selected from the lot. (Product packed 48 units per case.) Since 2 cases (10 units) had already been inspected, an additional 18 cases were selected from the lot as representatively as practical.
- d. Step 4. Select additional sample units from sample cases. According to table 2–2, the inspector determined a minimum total of 315 units were to be inspected. Since 2 cases (10 units) had already been inspected, an additional 305 units were selected. The inspector selected 305 units from the 18 additional cases selected in step 3.
- e. Step 5. Perform CPI. The inspector examined each sample unit for the presence of critical, major, and minor defects. The examination revealed 6 critical (leakers), 10 major (severe dents) and 17 minor (moderate dents) defectives. The total results were as follows:
 - (1) 8 critical defectives (leakers).
 - (2) 11 major defectives (severe dents).
 - (3) 19 minor defectives (moderate dents).
- f. Step 6. Perform OPI. Based on CPI results and because the product exceeded the recommended storage life as listed in DoD 4145.19–R–1, additional IPI is conducted according to table 2–3. Nine additional sample units were opened (2 sublot A sample units had been opened previously) for a combined open–package sample size of 11. No defects were noted.
 - g. Step 7. Determine disposition recommendation.
- (1) Sublot A. Since the number of critical and major defects exceeded the table 2–2 ACC/REJ numbers (warning signals), a recommendation other than normal storage and issue was made.
 - (2) Sublots B and C. Since no defects were noted, normal storage and issue recommendations were made.
 - h. Step 8. Prepare inspection reports.
- (1) Inspection results for all three sublots will be recorded and a copy of the reports or results provided to the accountable officer according to paragraph 1–14. (See fig 1–1 for an example.)
- (2) A DD For 1232 will be prepared and distributed for sublot A according to paragraph 1–14. (See fig 1–2 for an example.)

Appendix D

Examples of Disposition Recommendations

D-1. Questions to consider

The following questions should not be considered when developing a disposition required. They will not apply in every instance but may be used as general guidelines.

- a. Is this a wholesomeness problem?
- b. How rapidly is the product expected to deteriorate?
- c. How much time will elapse before the product can be consumed.

- d. Does the sample equal or exceed the reject number?
- e. Is the product to be shipped to another installation for further storage?
- f. What are the storage conditions at present and what will they be in the future?
- g. What is the shelf life of the product?

D-2. Disposition recommendations

Disposition recommendations will be as prescribed by AR 60–657/NAVSUPINST 4355.4/AFR 161–32/MCO P10110.31 and this regulation. Listed below are several examples of disposition recommendations; however, these examples are not all inclusive. Inspections must base their recommendations on many factors, especially those factors listed in D–1 above.

- a. Recommend that the product be (SALVAGED)(RECONDITIONED)(REPACKED) and the portion that is fit for human consumption be issued immediately.
 - b. Recommend that this product be considered as a mandatory issue (AR 30-18) item and issued prior to (date).
 - c. Recommend that the product be force issued as soon as possible but no later than (date).
 - d. Recommend that this item be issued prior to like subsistence of an older date of pack.
- *e.* Recommend that the product be placed on hold pending further inspection. (SPECIFY SAMPLE UNIT OR COMPONENT TO BE INSPECTED, IF APPROPRIATE).
 - f. Recommend that the product be placed on medical hold pending laboratory testing of samples.
 - g. Recommend that the product be issued locally.
 - h. Recommend the following change in storage method for this product: (SPECIFIC RECOMMENDATION).

Appendix E

Procedures for Inspecting Perishable Foods

E-1. Step-by-step procedures for inspecting perishable foods

- a. Step 1. Determine lot size. Lot size is expressed as the number of shipping cases in the lot. Total units will be used only when determining open-package sample size.
- b. Step 2. Determine inspection level. Paragraph 3–2 specified inspection level S–3, according to table 3–1 for CPI and uses and "8500" rule for determining the OPI sample size.
- c. Step 3. Select sample cases from the lot. The sample should be as representative of the lot, as practical. Storage conditions should be considered when selecting samples.
 - d. Step 4. Select sample units from the sample cases.
- (1) Determine the minimum number of units (packages/pieces) to be used for nondestructive inspection. Refer to tables 3–1 through 3–4, as applicable.
 - (2) Select the sample units from the sample cases.
 - e. Step 5. Perform CPI.
- (1) Inspect each sample unit for defects in appendix B and any other defects that may be applicable. Classify each defect as critical, major, or minor as prescribed in paragraph 1–6.
- (2) The inspector may perform destructive inspection on any sample unit showing external major or critical defects. (Refer to para 1–10b.)
 - (3) Record results according to paragraph 1-14.
 - f. Step 6. Perform OPI in accordance with paragraph 1-10.
 - (1) This inspection is normally performed as prescribed in paragraph 1–10.
- (2) Select the open-package sample units from units drawn in step 4 which showed no critical or major defects during the closed-package phase.
- (3) Open each sample unit and inspect for defects in appendix B and any other defects that may be applicable. Classify each defect as critical, major, or minor according to paragraph 1–7. Record results according to paragraph 1–14.
 - (4) Submit laboratory samples if necessary.
- g. Step 7. Determine what disposition will be recommended. Based on inspection results, inspector's subjective evaluation, laboratory results when performed, and past experience with like products, determine appropriate disposition according to appendix D of this regulation and AR 60–657/NAVSUPINST 4355.4/AFR 161–32/MCO P10110.31.

E-2. Step-by-step example procedure for inspection of beef pot roasts

An inspector was directed to perform a class 9 inspection on a lot of 65 cases of beef pot roasts. The lot had exceeded the storage life recommended in DoD 4145.19–R–1. Previous inspection findings indicated the product was in good condition.

- a. Step 1. Determine lot size. Lot size was determined to be 65 cases.
- b. Step 2. Determine inspection level. According to paragraph 3–2, an inspection level S–3 (table 3–1) was used for CPI and the "8500" rule was used to determine open–package sample size.
- c. Step 3. Select sample cases from the lot. The inspector consulted table 3-1 and selected the minimum of two sample cases (lot size under 151), as represented as practical.
- d. Step 4. Select units from the sample cases. As prescribed by table 3–1, the inspector selected a minimum of three pot roasts from each sample case.
- e. Step 5. Perform CPI. Each sample unit was examined for critical, major, and minor defects. The examination revealed no defective sample units.
- f. Step 6. Perform OPI. The inspector consulted paragraph 3–2 and selected 1 pot roast for OPI (65 cases by the average number of pot roasts per case; one example 10 pot roasts per case would be 650 units). The sample unit was taken from the original closed–package sample units which did not show critical or major defects during step 5. The roast was inspected and no defects were noted.
 - g. Step 7. Determine disposition recommendation. The lot was fit for normal storage and issue.
- h. Step 8. Prepare inspection reports. Since the lot was fit for normal storage and issue, the only report necessary was the one required by the MACOM according to paragraph 1–14. (Refer to fig 1–1 for an example.)

Appendix F

Procedures for Inspecting Meal, Ready-to-Eat Rations

F-1. Types of inspections

The following types of inspections may be performed on Meal, Ready-to-Eat (MRE) rations:

- a. Receipt inspection. All MRE rations will receive a detailed inspection upon receipt.
- (1) MREs received from known sources with known storage histories will be inspected as outlined in tables F-1 through F-6.
- (2) MREs received from unknown sources (lost lots, isolated lots of unknown storage history) will be inspected for the defects listed in tables F–2 through F–6, using a sample size corresponding to general inspection level II (table F–1B). If greater discrimination is warranted, 100 percent inspection will be implemented.
- b. In-storage (cyclic) inspection. A detailed inspection performed on a scheduled basis. The frequency of these inspections will be as follows:
 - (1) Monthly for distressed lots, regardless of age.
- (2) Every 3 months for lot that are within 6 months of or have already exceeded the recommended shelf life prescribed in chapter 5, section V, DoD 4145.19–R-1.
 - (3) Every 6 months for lots that have more than 6 months recommended shelf life remaining.
- c. Inspection prior to shipment or issue. An inspection usually performed for condition only. A detailed inspection will not be conducted if scheduled inspections have been performed. However, if MREs scheduled for shipment or issue have not received a receipt and/or cyclic inspection, they will receive a special inspection as described in paragraph d below.
- d. Special inspection. A detailed inspection performed as the result of a request from the accountable officer, based on a complaint from a using activity. Also, an inspection conducted when the responsible veterinary inspector determines a lot needs inspection prior to the next scheduled inspection. Special instructions may be performed using the sample sizes provided in table F–1A. If an increased sampling rate is desired, general inspection level (table F–1B) or 100 percent inspection may be used.

F-2. Laboratory analysis

- a. When doubt exists concerning the conditions of MREs, samples will be submitted to the appropriate laboratory for analysis. Samples should not be submitted for evaluation of characteristics which can be determined adequately by the inspector. An exception would be when a large lot or high dollar item(s) exhibit(s) an off-flavor, -odor, -color, or -texture, or when necessary facilities and equipment are not available to the inspector. When the laboratory can furnish objective values and the inspection is limited to subjective evaluations, laboratory results should be used in making final disposition recommendations. Laboratory samples will consist of three units of the abnormal product and three units of the normal product, if possible. If only normal or abnormal units are available, six units should be sent.
- b. Section A of DD Form 1222 will be completed and forwarded with samples. The form will contain a history of the product, with information the will be helpful in the laboratory evaluation, and the reasons for the need of a laboratory examination. When doubt exists as to what testing to request, the laboratory will be consulted. Such consultation will preclude the needless submission of samples and waste of resources.

F-3. Insect and/or rodent infestation

Inspectors will inspect MREs and storage areas for signs of insect and/or rodent infestation. Inspection guidance may be found in MIL-STD 904.

- a. Insect infestation. When insects are found, inspectors will collect specimens for positive laboratory identification. After the specimens have been identified, the veterinary officer–in–charge will make disposition recommendations in accordance with MIL–STD 904 and the laboratory report.
- b. Rodent infestation. Evidence of rodent infestation includes the finding of feces, urine (as evidenced by a positive Wood's light test), and/or holes gnawed through packing or packaging material. When such evidence is found, the veterinary officer—in—charge will make disposition recommendations in accordance with MIL—STD 904.

F-4. Additional sampling

Additional sampling is encouraged whenever the inspector feels additional samples are necessary to determine the serviceability of a specific lot (such as if a reject number is equaled or exceeded).

F-5. Classification of defects (percent defective)

Each sample will be examined for the defects listed in table F–2 through F–6. A sample containing one or more defects will be classified as a defective. Each defective will be classified by the most serious defect it possesses. For example, each defective meal bag will be classified by only one defect although it may posses defects listed in each of tables F–3 through F–6. If a defective has more than one defect, its most serious defect will be reported in block 25 of DD Form 1714 and its other defects will be reported in the "Remarks" section, block 28.

F-6. Inspection reporting

Receipt, cyclic, and special instruction of MREs will be recorded on the DD Form 1714. A copy of the report will be sent to Headquarters, U.S. Army Health Services Command, ATTN: HSVS-FS, Fort Sam Houston, TX 78234-600. Additional copies will be furnished to the appropriate MACOM as required.

F-7. Step-by-step inspection procedures for MREs

- a. Step 1. Determine lot size. Lot size will be determined in accordance with chapter 2, paragraph 2–3. For table F–2 examinations, lot size will be expressed as shipping containers. For subsequent tables, the lot size equals the number of meals (the number of shipping container multiplied by 12 meals per container). Except when general inspection level II is used, grand lotting is authorized and encouraged. The identity of the sublots will be maintained, and samples will be drawn from each sublot in proportion to its size If a reject number for a grand lot is equaled or exceeded, each sublot must be reinspected separately as a contractor's lot. However, if defects are concentrated in a particular sublot, that sublot may be reinspected as a contractor's lot and the remaining sublot may be reinspected as a grand lot.
- b. Step 2. Determine sample size. The sample size will be determined by using table F-1 and F-1A (or table F-1 and F-1B for general inspection level II).
 - c. Step 3. Select sample cases.
- (1) The number of sample cases will be as indicated in step 2. Samples will be drawn from each sublot in proportion to its size.
- (2) In situations where storage conditions of a lot differ (for example, part of a large lot is located next to steam pipes), samples will be selected from areas within the lot most likely to undergo deterioration.
- (3) In situations where storage conditions are basically the same throughout the lot, samples will be selected to be representative of the lot.
- d. Step 4. Perform inspection of the shipping container. Each sample shipping container will be examined for the defects listed in table F-2.
 - e. Step 5. Select sample meals.
- (1) The number of meals selected for closed package inspection will be as indicated in step 2. Meal bag samples will be drawn proportionately from sample shipping containers. At least 1 of each menu, 1 thorough 12, will be represented.
- (2) Twelve of these samples, also representing each of the 12 menus, will be identified as open package destructive inspection samples. If possible, these samples should also proportionately represent each of the sublots. If there are more than 12 sublots, the samples should be chosen from 12 sublots representative of a lot as a whole. In situations where storage conditions of a lot differ (for example, part of a large lot is located next to a steam pipe), sublots from areas within the lot most likely to undergo deterioration should be among the 12 from which samples are selected.
 - (3) Sublot identity will be maintained for all samples.
- f. Step 6. Perform inspection of unopened meal bags. Each sample bag will be examined for the defects listed in table F-3.
 - g. Step 7. Perform inspection of meal bag components. The meal bags selected during step 5 will be opened by

cutting just below the seal, being careful not to damage the contents. The components of the meal bags (except accessory bags) will be examined for the defects listed in table F-4. Sublot identity will be maintained.

- h. Step 8. Perform inspection of the accessory bags. The unopened accessory bags from meal bags opened in step 7 will be examined to ensure the packaging material protect the components. Suspected leakers will be tested in a vacuum chamber, using the procedures given in paragraph F–8. After the leakage examination, the components will be removed by cutting just below the seal of each accessory bag, going careful not to damage the contents. The accessory bags and components will be examined for the defects listed in table F–5. Sublot identity will be maintained.
- i. Step 9. Perform open package destructive inspection. All food components (including food components in the accessory bags) of the 12 sample meals bags identified as open package destructive inspection samples in step 5 will be examined for the defects listed in table F–6. Reject numbers will be 1 for critical defects, 2 for major defects, and 4 for minor defects. If reject numbers are equaled or exceeded, 12 additional meal bags will be opened. When defects are concentrated within one sublot, additional sample should be taken from the affected menu. If 24 meals are inspected, reject numbers will be 1 for critical defects, 2 for major defects, and 6 for minor defects. Although the reject numbers for critical and major defects are the same regardless of the sample size, the inspector should nevertheless open 12 additional meals to allow determination of appropriate disposition recommendations.
 - j. Step 10. Repack remaining accessory bags, meal bags, and sample cases.
 - (1) Meal bags and accessory bags must be resealed as follows:
- (a) Using 2-inch-wide tape, apply one-half of the width across the top of one side of the bag. Allow at least one-half of the tape to extend past each side of the bag.
- (b) Gently press the bag to expel air, fold the remaining half of the tope over the top of the bag, and smoothly apply the tape to seal the other side of the bag.
 - (c) Press down firmly on the tape to eliminate any air spots.
 - (d) Trim the ends of tape, allowing approximately one-half inch of tape to extend past each side of the bag.
 - (2) Attempt to repack 12 different menus into each case.
- (3) Use high-tensile-strength tape to seal the case, then replace the sleeve and secure it in place with additional tape. Do not use masking tape!
- k. Step 11. Complete DD For 1714. DD Form 1714 will be used to record detailed inspections of MREs. A complete example is provided in figure F-1. Step-by-step procedures for completion of the DD Form 1714 are as follows:
 - (1) Block 1. Enter the contract number.
- (2) *Block 2*. Enter the lot number(s). If sufficient space is not provided to record all lot numbers of a grand lot, enter, "See Remarks," then enter numbers in the "Remarks" section, block 28.
 - (3) Block 3. Enter the date of inspection.
 - (4) Block 4. Enter the name and address of the MRE assembly plant.
 - (5) Block 5. Enter the lot size expressed as shipping containers.
 - (6) Block 6. Enter "N/A."
 - (7) Block 7. Enter the location of the MREs.
- (8) Block 8. Check "Other," and enter receipt, cyclic, or special. Explain reasons for special inspection in the "Remarks" section, block 28.
 - (9) Block 9. Check "% defective."
 - (10) Block 10. Enter "Meal, Ready-to-Eat," and date of pack.
 - (11) Block 11. Enter the inspection test date. (See fig F-1.)
 - (12) Block 12. Enter "N/A."
- (13) Block 13. Enter "AR 40-656, NAVSUPINST 4355.10 or MCO 10110.45" as applicable and date of publication.
- (14) *Block 14*. Enter the condition code assigned after completing the inspection. Condition codes should correlate with disposition recommendations. (See fig F–1.)
- (15) *Block 15*. Enter "See Remarks," then enter disposition recommendation in the "Remarks" section, block 28. Examples of disposition recommendations, for lots equaling or exceeding REJ numbers, are provided in paragraph F–9.
- (16) *Block 16–24*. Complete as shown in figure F–1. The table F–2 major defect data must be listed above the first line to allow all necessary data to fit into the space provided.
- (17) *Block 25*. When defects are found, record the table of examination under 25A, the defect number under 25B, and the number of defects under 25C, as shown in figure F–1. Record in this block only the most serious defect of each defective meal. Record the meal's other defects in the "Remarks" section, block 28.
 - (18) Block 26. Enter the typed name and signature of the actual inspector.
 - (19) Block 27. Enter the typed name, rank, and location code of the supervisor.
 - (20) Block 27A. Enter the signature of the supervisor after review of the completed inspection report.

(21) *Block 28*. Enter the date the next inspection is due and any other information necessary. Enter the AUTOVON telephone number of the inspection office.

F-8. Leakage testing procedures

- a. Wet method (meal bags, accessory bags, vacuum-packed dehydrated items).
- (1) Fill the vacuum chamber with water until three-fourths full. Seal the lid and gasket.
- (2) De-gas (remove dissolved CO2 and O2) by applying a vacuum of 25 inches of mercury for 30 seconds. Release the vacuum, and remove the lid. This step is needed only before inspecting the first item after filling the bell jar and does not need to be performed before inspecting each subsequent item.
- (3) Place the item into a wire mesh basket or other suitable device that will keep the bag submerged in the bell jar and allow maximum surface area visibility. Invert the wire basket, and submerge it in the water.
- (4) Replace the lid and gasket. Slowly apply a vacuum of 15 inches of mercury for 30 seconds. Observe for a steady progression of bubbles. Occasional bubbles of air that may have been trapped in the seal should not be mistaken for the steady stream of bubbles that will confirm a leak.
 - b. Dry Method (thermostabilized, wet-pack items).
- (1) Gently massage the contents away from the suspected leak area to dislodge any product contents that may plug the leak. Care must be taken to preclude making defects by rupturing intact seals.
- (2) Place the suspected item in the dry vacuum chamber, and slowly apply a vacuum of 25 inches of mercury for 2 minutes. Continuously observe the item for evidence of oil or liquid product seepage. This test is not 100 percent conclusive because food particles can plug the hole and prevent seepage of the product or fluid. See note* below.

F-9. Disposition recommendations

- a. Below are points that should be considered when developing a disposition recommendation. They will no apply in every instance but may be used as general guidelines.
 - (1) Does this defect affect wholesomeness?
 - (2) How rapidly is the product expected to deterioration?
 - (3) How much time will elapse before the product can be consumed?
 - (4) Does the sample equal or exceed the reject number?
 - (5) Is the product to be shipped to another installation for further storage?
 - (6) What are the storage conditions at present, and what will they be in the future?
- b. Disposition recommendations will be in accordance with AR 60–657/NAVSUPINST 4355.4/AFR 161–32/MCO P10110.31 and this document. Listed below are several examples of disposition recommendations which may be used on DD Forms 1232 or 1714. When recommending destruction of MREs, specify the components covered by the recommendation. Normally, only the affected components, not the entire ration, will be destroyed.
- (1) Recommend this product be (salvaged) (reconditioned) (repacked) and the portion that is fit for human consumption be issued immediately.
 - (2) Recommend this product be issued prior to (date).
 - (3) Recommend this product be issued as soon as possible but not later than (date).
- (4) Recommend this product be issued first. (Use this recommendation when a product with a recent date of pack is deteriorating faster then a product with an older date of pack.)
 - (5) Recommend this product be issued locally rather thank shipped to (a forward area) (another station).
 - (6) Recommend the following change in storage method of this product: (Specific recommendation).
 - (7) Hold pending further inspection. (Specify sample size or component to be inspected, if appropriate.)
 - (8) Hold pending laboratory testing of samples.
- c. The examples in subparagraph b above are not all inclusive. The inspector will base recommendations on the condition found. If REJ numbers are equaled or exceeded, the disposition recommendation "Fit For Continued Storage" is inappropriate and should not be used.
- d. The disposition recommendation for a grand lot cannot be other than "Fit For Continued Storage." If a reject number for a grand lot is equaled or exceeded, each sublot must be reinspected separately as a contractor's lot. However, if defects are concentrated in a particular sublot, that sublot may be reinspected as a contractor's lot and the remaining sublots may be reinspected as a grand lot.

Note: All verified leakers will be removed from the lot and destroyed.

Table F-1 Table of examination Table Sample unit F-2-Inspection of shipping container Shipping container (see note 1). F-3-Inspection of unopened meal bag Meal bag. F-4-Inspection of meal bag components Meal bag. F-5-Inspection of accessory bag Accessory bag. F-6-Open package destructive inspection Meal bag (see note 2).

Notes

Table F-1A
Inspection criteria for tables F-2 through F-5 (see note 1)

		Firs	t SS			Comb	oined SS
	First SS	ACC	REJ	Second SS	Combined SS	ACC	REJ
Lot size	(see note 2)	(see note 3)	(see note 3((see note 2)	(see note 2)	(see note 3)	(see note 3)
		0	1			1	2
0-3200	12	1	2	24	36	2	3
		3	4			7	8
		0	1			2	3
3201-35000	24	1	2	24	48	3	4
		5	6			10	11
		0	1			3	4
35001-500000	36	2	3	48	84	5	6
		7	8			14	15
		0	1			5	6
500001 and over	48	3	4	72	120	7	8
		10	11			21	22

¹ If necessary, the sample size indicated in table F–1A will be increased to the sample size for the next lot size category, so that at least one case from each sublot is examined. Reject numbers used will be appropriate to the sample size.

² Sample size for open package destructive inspection will be 12 meal bags. Reject number will be 1 for critical defects, 2 for major defects, and 4 for minor defects. If reject numbers are equaled or exceeded, 12 additional meal bags will be opened as explained in step 9.

¹ Table F-1A will be used as follows:

a. For grand lots: If a reject number in the first SS is equaled or exceeded, each sublot must be reinspected separately as a contractor's lot. However, if defects are concentrated in a particular sublot, that sublot may be reinspected as a contractor's lot and the remaining sublots may be reinspected as a grand lot.

b. For contractor's lots: If a reject number in the first SS is equaled or exceeded, the second SS will be pulled. If a reject number for the combined SS is equaled or exceeded, appropriate disposition recommendations (other than 'Fit For Continued Storage') should be made (see para F–9).

² If the SS equals or exceeds lot size, perform 100 percent inspection.

³ ACC/REJ criteria are given for critical, major, and minor defects respectively.

Table F-1B		
General inspection	level II	

	SS	ACC	REJ		
Lot size	(see note 1)	(see note 2)	(see note 2)		
		0	1		
Under 500	36	2	3		
		7	8		
		1	2		
501–3200	120	7	8		
		21	22		
		2	3		
3201–10000	204	10	11		
		21	22		
		3	4		
10001 and over	312	14	15		
		21	22		

Notes

Table F-2 Inspection of shipping container

Major	Minor	Defect
151		Rodent damage or evidence of inspect penetration (see note 1).
152		Box damaged (contents exposed).
153		Fewer than 12 meals per case.
	201	Straps loose or missing (see note 1).
	202	Inside case stapled seam (when present) not covered with cardboard protector or tape.
	203	Essential marking missing or illegible (see notes 1 and 2).
	204	Not 1 of each menu 1–12.

Notes

² For example:Assembly point information, dates of pack, and lot number should be legibly marked on all cases.

Table F-3			
Inspection of	unonened	meal	han

Major	Minor	Defect	
151		Rodent damage or evidence of inspect penetration (see note 1).	
154		Tear, cut, or hole in meal bag;	
	203	Essential marking missing or illegible (see notes 1 and 3).	
	205	Missing tear notch.	

 $^{^{\}rm 1}$ If sample size equals or exceeds lot size, perform 100 percent inspection.

 $^{^{\}rm 2}$ ACC/REJ criteria are given for critical, major, and minor defects respectively.

¹ Specify defect(s) observed.

¹ Specify defect(s) observed.

² All sample meal bags will be tested in a vacuum chamber for leakage, using the procedures given in paragraph F-8. Defect description for leakers will include the location of the leak.

 $^{^{\}rm 3}$ For example: identification markings or list of menu components.

Table F-4 Inspection o	of meal bag compo	nents	
Critical	Major	Minor	Defect
101			Tear, cut, or hole in any component bag; leakage (see note 1).
102			Swollen retort pouches (see note 2).
103			Missing entree component.
104			Evidence of insect or rodent penetration (see note 3).
	155		Missing component (other than entree).
	156		Loss of vacuum (vacuum-packaged items only) (see note 4).
		203	Essential labeling missing or illegible (see notes 3 and 5).
·		205	Missing tear notch.
		206	Broken, damaged, or unserviceable spoon (see note 3).
		207	Unclean component.

Notes:

^{5.} For example: identification information, preparation instructions.

Critical	Major	Minor	Defect
104			Evidence of insect or rodent penetration (see note 1).
	155		Missing component.
	157		Tear, cut, or hole in accessory bag; leakage (see note 2).
	158		Unserviceable component.
		205	Missing tear notch.
		207	Unclean component.

¹ Suspected leakers will be tested in a vacuum chamber using the procedures in paragraph F–8. Defect description for leakers will include the location of the leak.

² Cake items may exhibit more internal air than meat or fruit items and should not be considered as swellers unless open package examination reveals deterioration or contamination.

³ Specific defect(s) observed.

⁴ Firmly grasp the edges of the package, and attempt to pull or stretch the material away from the product for a short time. An intact bag will return to its original shape when pressure is released. Gently attempt to move the product within the bag by pressing on the product's edge. If there is no vacuum, the product will move easily within the bag. The leak is then confirmed by mechanically testing the package in the vacuum chamber. Procedures for vacuum chamber testing are provided in paragraph F–8.

¹ Specific defect(s) observed.

² Defect description for leakers will include the location of the leak.

Table F–6 Open packa	ge destructive insp	pection (see note 1)	
Critical	Major	Minor	Defect
104			Evidence of insect or rodent penetration (see note 2).
105			Moldy or mildewed product.
106			Foreign material.
107			Extreme odor, flavor, or physical change (see note 2).
	159		Odor, color, or flavor change (see note 2).
	160		Texture change.
	161		Component crushed, limiting serviceability.
	162		Failure of product to rehydrate/reconstitute properly.
		206	Broken, damaged, or unserviceable nonfood component (see note 2).
		208	Incorrect pouch item inside pouch folder.
		209	Caking or hardening of component.
		210	Brittle, friability, crumbling, cracking, loss of crispness (see note 2).
		211	Liquefaction/Syneresis (see note 2).

¹ Internal defects of this table will not be scored if the cause for the defect was due to loss of package integrity scored under tables F-4 or F-5.

² Specify defect(s) observed.

Р	RODUC	T VERIE	ICATION RECO	RD.		I. CONT	RACT N	MBER		
For use of this form, see	AR 40-65	6; the propone	int agency is the Office o	rf The Surgeon		1		3-C-0986		
2. LOT NUMBER	3.	DATE OF VE	RIFICATION	4. PRIME						
See Remarks			Right-Away Foods Corporation							
(Block 28)		l Apr	XX ERIFICATION OF N/ CONTRACTOR	McAll	en, TX					
5. LOT SIZE		6. VE	ERIFICATION OF N/	A	E .			and State)		
72,670			CONTRACTOR [QCR	Marine	e Corps	Log.	Base, Ba	arstow	, CA
8. DRAWN FROM							9. DEF	ECTS BASED	ON	
ORIGINAL LOT		ESUBMITTE	O LOT K OTHER						DEFECT	
10. ITEM DESCRIPTIO	N							ULTS OF VE	RIFICATI	ON
Meal, Ready	-to-Ea	t, Mar x	x	Inspect	ion res Mar XX	st Date		COMPARABL	, -	
13. SPECIFICATION N	UMBER A	ND DATE		.4.		-		See Ren	ITION	
AD 40 CEC					1	H FIED TO		See Ren	narks Epted	
AR 40-656					Condit	ion Co	de A		REJECT	ED
			SAMPL	ING PLANS						
16.	17.	18.	19.	20. CO		21.	22.	23.		[24.
				1 77	QCR	ACCEP-	i	VERIFIC SAME		
EXAMINATION	INSP.	AQL	CLASS OF DEFECT	A		TANCE	TION	A T OFF	B.	ACTION
F-2 Shipping Br	1	N/A	MAJOR	SAMPLE	NO OF	NUMBER 2	NUMBER	SIZE	NO. OF	
I'L BRIPPING DA	117.11	+	MINOR	36	N/A	7	8		TOEF	N/A
F-3 Meal Bag	 	 	MAJOR	48	W/A	3	4	72,670	2	
1+3 mar bay		 	MINOR	140	 	10	11	0/2,040	 - -	
F-4 Meal Bag		 	CRITICAL	48	 	0	1	872,040	ļ	
Components	 	 	MAJOR	1 30		3	4	0/2,040	3	
	 	 	MINOR	 	 	10	11	 	3	
F-5 Accy Bag	 	-	CRITICAL	48	 	0	1 1	072 040	<u>_</u>	├ ──
1-5 ACCY Day	 	1	MAJOR	1 - 30 -		3	4	872,040		
	-	 	MINOR	 	 	10		· · · · · · · · · · · · · · · · · · ·	·	
F-6 Open Pkg	 	 	CRITICAL	24	<u> </u>	0	11	072 040		
red Open rkg		 	MAJOR	24	ļ	1	1 .	872,040	-	
		 	MINOR]	 	5	2 6		2	ļ
25.	<u> </u>	l	RESULTS (CONTIN	UED ON RE	VERSE S		6		2	L
A.	В.	· -	NESOE 13 (CONTIN	OED OIV ILE	VERSE S	<i>D</i> 43)	Tc.	TAI	LY	
EXAMINATION			DEFECT	rs			MAJO			
Table F-2	152 _	BOY Day	aged (Content	- Bun	a 1			N: MINO	4:	
rabic r=2	132 -	BOX Dan	laged (Content	s expose	u j	·	1			
Table F-3	154 -	Leakage	<u> </u>			· · · · · ·	 			
	174 -		Assembler's	Seal at	10#		1	- -		
			2 Body at 12"		40		+ +	- -		
		ricita #1	w body at 12				+	- 		
Table F-4	156 -	Loss of	Vacuum				+			
		Strawbe					2			
	-	•					+		- 	
	207 -	Potato Patty 207 - Unclean Cocoa Beverage Powder								
	20,	Unic real	. cocoa nevera	ae rowde	-	~ ~			 	
Table F-5	161 -	Crushed	Strawberries				1 -			
::D			ng, Cream Substitute				1 2	2		
			cream Bun	JULIULE .			+			
							 			
		*****					+		+-	-
							+			
26. TYPED NAME AND	SIGNATU	IRE OF	27. TYPED NAME (OF SENIOR OF	CR OR SO	R 1274	SIGNAT	TURE		•
ASST. QCR (When a			AND OFFICE S						•	
SP5 Liza McC	ue		C.L. Wrigh	t, SFC,	1064		. L.	Wn	زكره	<u>.</u>

DD 1714

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Figure F-1. Completed example of DD Form 1714

25. RESULTS (CONTINUED)								
A. EXAMINATION	B. DEFECTS	С.	TALLY					
CARMINATION	52.20	MAJOR:	MINOR:					
				-				
L		 						
		ļ						
		 						
		 						
								
		 						
								
		 	 					
ļ		 	 					
		 						
		 						
<u> </u>								
								
		 						
		·						
			 					
28. REMARKS		L	<u> </u>					
1. Next Inspection Due: 1 Oct XX								
2. Lot Numbers	8-39 8-43							
I . Bos Humbers	8-40 8-44							
	8-41 8-45							
	8-42 8-46							
3. The meal with loss of vacuum in the strawberries also had a defect 205 (missing tear notch) in the accessory bag (table F-5).								
4. Product is fit for continued storage.								
AUTOVON: 360-XXXX								

Figure F-1. Completed example of DD Form 1714—Continued

Glossary

Section I

Abbreviations

ACC

accept

AQL

acceptable quality level

Bldg

Building

\mathbf{C}

Celsius

CN

can

CND

canned

CNS

cans

CO_2

carbon dioxide

CPI

closed package inspection

DA

Department of the Army

DLA

Defense Logistics Agency

DLAM

Defense Logistics Agency Manual

DOD

Department of Defense

DOP

date of pack

DPSC

Defense Personnel Support Center

F

Fahrenheit

FF&V

fresh fruit and vegetables

FSC

Federal Supply Classification

HODA

Headquarters, Department of the Army

ITD

inspection test date

LT

less than

MACOM

major Army command

MCI

meal, combat, individual

MIIL

master item identification lists

MIL HDBK

military handbook

MIL-STD

military standard

MRE

meal, ready-to-eat

N/A

not applicable

NRDEC

Natick Research, Development, and Engineering Center

OPI

open package inspection

QAR

quality assurance representative

REJ

reject

RTS

ready to serve

SF

Standard Form

SP4

Specialist Fourth Class

SQL

serviceability quality level

SS

sample size

TB MED

technical bulletin medical

TISA

troop issue subsistence activity

TISO

troop issue subsistence officer

TSG

The Surgeon General

UBL

unit basic load

VCO

Veterinary Corps officer

Vet Svc

Veterinary Service

Section II

Terms

Accessory bags

Commonly referred to as accessory packets or accessories. They are fabricated by laminating polyethylene on aluminum foil and laminating the opposite side of the foil to polyester.

Cursory examination

A visual examination to detect obvious discrepancies in condition.

Date of pack

Date on which the product was packaged in the unit or primary container, regardless of packing or shipping DOP for operational rations is usually the date when components are assembled and packed into shipping containers.

Defective

A unit with one or more defects.

Food packets

Short-term sources of nourishment for use in special situations. The packets consist of prepared foods selected for maximum nutritional value, palatability, stability, and minimum weight and cubage. One or more food packets do not necessarily constitute a nutritionally complete ration. These rations consist of the following:

- a. Food packet, assault.
- b. Food packet, survival, general purpose.
- c. Food packet, survival, abandon aircraft.
- d. Food packet, survival, aircraft, life raft.
- e. Food packet, survival, abandon ship.

Grand lotting

Collecting or grouping two or more lots of like quality in order to decrease the cost of surveillance inspections by reducing the number of samples.

Inspection level

The relationship between the lot size and the sample size.

Inspection test date

A date for inspection occurring a specified number of months after the date of pack, as indicated in the contract for shelf life.

Lot (inspection lot)

A collection of units of a product from which a sample is to be drawn and inspected.

Lot size

The number of units of a product in a lot.

Meal

A specific quantity of nutritionally balanced food provided one person during a scheduled serving period. A combination of three meals (breakfast, lunch, dinner) constitutes a ration.

Meal bag

Bags made from polyethylene tubing that is approved for food use. There are two seals on the bag, one at each end of the tube. Each meal bag contains all the components for one meal or menu.

Operational ration

A ration composed of semiperishable foods designed for use in time of war or other emergencies.

Perishable foods

Foods that require refrigeration during transportation and storage.

Pouches (flexible packages)

Flexible containers used in the MRE, as opposed to rigid containers (cans) used in the MCI. They are multilayered, consisting of three different materials.

Ration

A quantity of nutritionally adequate food required for one person to subsist for 1 day.

Ration supplements

Food, beverage, condiment, or comfort items that add to the minimum essentials of a specific operational food item for nutrition, palatability, and enhancement of morale. These supplements consist of the following:

- a. Ration supplement, sundries pack
- b. Ration supplement, beverage pack.
- c. Ration supplement, aid station.

Sample

One or more units of a product drawn from a lot for inspection.

Sample size

The number of units of a product in the sample.

Sample unit (unit of a product)

The object inspected to determine its classification as defective or nondefective. Units of a product are expressed as cans, jars, bottles, cartons, meals, menus, envelopes, packets, and so forth.

Semiperishable foods

Foods that do not require refrigeration during transportation or storage.

Serviceability

The fitness of a subsistence item for its intended purpose.

Serviceability quality level

The maximum percent defective that, for the purpose of sampling inspection, may be considered satisfactory.

Serviceability standard

Documents which contain instructions for the inspection, testing, and/or restoration of items.

Service-owned foods

All Government-owned foods procured by appropriated and nonappropriated funds.

Storage life (shelf life)

The total elapsed time from the date of pack to the date of issue for immediate consumption. The appropriate storage life given in various serviceability standards (sometimes reflected in an ITD) is the best estimate of expected life. Specific lots of subsistence may be expected to show signs of quality loss within plus—or—minus 20 percent of the time listed.

Sublot

Identifiable collection of units of a product contained within a lot.

Subsistence

Food for, and provisions to be used in, feeding of personnel and animals.

Tear notch

A slit, tear, or notch on meal bags, accessory bags and pouches designed to aid users in opening the bag or pouch.

Thermostabilized

An item hermetically sealed into a container and processed by heat at a specified sterility level.

Vacuum-packaged

A process in which pouches are sealed inside a vacuum chamber. This removes most of the air and thus reduces the deterioration effects of oxygen on the food. Inspection for loss of vacuum is done visually and verified by means of vacuum chamber testing.

Section III

Special Abbreviations and Terms

There are no special terms.

PRODU	JCT VI	ERIFIC	ATION RE	CORD		1. CONTR	ACT	NUME	BER					
2. LOT NUMBER			OF VERIFICATION 4. PRIME CONTRACTOR (Name,				City and State)							
5. LOT SIZE		6. VE	RIFICATION OF	7. PLANT LOCATION					i (City and State)					
8. DRAWN FROM ORIGINAL LOT	RESU	BMITTED	LOT OTHER	(Specify)			9. [DEFEC DH	TS BAS	_	N DEFECTIV	/E		
10. ITEM DESCRIPTION				11. TYPE Ö	F VERIFICA	ATION	12.		MPARA	ABLE	COMPARA	7 BFE		
13. SPECIFICATION NUMBER AND DATE				14. NUMBER OF LOTS VERIFIED TO DATE 15. DISPOSITION ACCEPTED REJECT					CTED					
			SAMI	PLING PLANS										
16. EXAMINATION	17. INSP. LEVEL	18. AQL	19. CLASS OF DEFECT	A. SAMPLE SIZE	DNTR. QCR B. NO. OF DEF.	ACCEP- TANCE NUMBER	T I	IEC- ON MBER	A. SAM SIZ	SAMP	B. NO. OF DEF.	24. ACTION NUMBER		
				 			_							
	<u> </u>	 		_			_					-		
25.	1.		RESULTS (Co.	ntinued on rev	erse side)									
A. EXAMINATION B.		DEF	FECTS			c. MAJOR:		OR:	TALLY : MINOR:					
	<u> </u>			····································		•								
						· · · · · · · · · · · · · · · · · · ·								
26. TYPED NAME AND ASST. QCR (When a	SIGNATUR pplicable)	E OF	27. TYPED NAME AND OFFICE	OF SENIOR (SYMBOL	CR OR SO	QCR .	27A.	SIGNA	ATURE					

25. RESULTS (Continued) A							
Α.	0	c .	TALLY				
EXAMINATION	DEFECTS	MAJOR:	MINOR:	1			
		T					
							
		 					
		 					
		 	ļi				
			<u> </u>				
28. REMARKS							
i							
i							
1							
İ							
l .				İ			
1							
1				ļ			
1							
1							
1							
ī							

USAPA

ELECTRONIC PUBLISHING SYSTEM
OneCol FORMATTER .WIN32 Version 158

PIN: 000018-000

DATE: 08- 7-01 TIME: 11:19:23

PAGES SET: 44

DATA FILE: C:\WINCOMP\r40-656.fil

DOCUMENT: AR 40-656 DOC STATUS: REVISION